



**FACSIMILE  
TRANSMITTAL SHEET**

38525 WOODWARD AVENUE, SUITE 2000  
BLOOMFIELD HILLS, MI 48304-5092  
TELEPHONE: (248) 433-7200  
FACSIMILE: (248) 433-7274  
<http://www.dickinsonwright.com>

CONFIRMATION 

<b>TO:</b> Mail Stop Amendment	<b>COMPANY:</b> US Patent and Trademark Office
<b>FAX NUMBER:</b> 571-273-8300	<b>PHONE NUMBER:</b>

**From:** Robert L. Stearns**Date:** November 6, 2006**Total Number of Pages Including Cover Sheet:** 3**Message:** Response for U.S. Serial No. 10/528,590

RECEIVED  
CENTRAL FAX CENTER

NOV 06 2006

Best Available Copy

If you have not received the total number of pages, please call the facsimile department at (248) 646-4300. Thank you.

**IMPORTANT** - This message is intended solely to be used by the individual or entity to which it is addressed. It may contain information which is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. Thank you.

**OFFICE CODE**

Client Name:  
Client/Matter Number: 710130-32  
Attorney Number: [1178]  
Secretary/Ext.: Karri 7386

Matter Name:  
Attorney Initials: RLS  
No. of Pages: 3  
Amount:

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant : William Anthony Thorpe  
Appl. No. : 10/528,590  
Filed : March 21, 2005  
Title : DISC BRAKE ROTORS  
Grp./A.U. : 3683  
Examiner : Melody M. Burch  
Docket No. : 710130-032

RECEIVED  
CENTRAL FAX CENTER  
NOV 06 2006

**RESPONSE**

**MAIL STOP AMENDMENT**  
**Commissioner of Patents**  
**P.O. Box 1450**  
**Alexandria, Virginia 22313-1450**

Dear Sir:

In response to the office action dated October 6, 2006, please amend this application as follows:

Best Available Copy